

- Alrex (loteprednol ophthalmic suspension drops)
- Durezol (difluprednate emulsion)
- Flarex (0.1% fluorometholone ophthalmic suspension drops)
- FML Forte (0.25% fluorometholone ophthalmic suspension drops)
- FML S.O.P. (0.1% fluorometholone ophthalmic ointment)
- Eysuvis (0.25% loteprednol etabonate ophthalmic suspension)
- Inveltys (loteprednol ophthalmic suspension preservative-free)
- Lotemax (0.38% loteprednol ophthalmic gel)
- Lotemax Ointment
- Lotemax (0.5% loteprednol ophthalmic suspension)
- Lotemax (0.5% loteprednol ophthalmic gel)
- 0.5% loteprednol ophthalmic suspension (LOTEMAX)
- Maxidex (0.1% dexamethasone ophthalmic suspension drops)
- Pred Mild (0.12% prednisolone ophthalmic suspension drops)
- Vexol (1% rimexolone suspension)

Diagnosis Considered for Coverage:

- Treatment of steroid responsive inflammatory conditions of the eye
- Treatment of the signs and symptoms of dry eye disease – *Eysuvis only*

Coverage Criteria:

<p>Alrex Flarex FML Forte FML S.O.P. Maxidex Pred Mild</p>	<p>PLUS</p> <ul style="list-style-type: none"> • No PA required <p>STANDARD</p> <ul style="list-style-type: none"> • Inadequate response, intolerable side effect, or contraindication to either fluorometholone 0.1% or prednisolone 1% eye drops.
<p>Lotemax Suspension 0.5% Gel 0.5%</p>	<p>PLUS</p> <ul style="list-style-type: none"> • No PA required <p>STANDARD</p> <ul style="list-style-type: none"> • Inadequate response, intolerable side effect, or contraindication to either fluorometholone 0.1% or prednisolone 1% eye drops.
<p>Durezol Lotemax Gel 0.38% Lotemax Ointment Vexol</p>	<p>PLUS - open plan</p> <ul style="list-style-type: none"> • No PA required <p>PLUS - closed plan</p> <ul style="list-style-type: none"> • Inadequate response, intolerable side effect, or contraindication to ONE preferred ophthalmic agent

	<p>including: fluorometholone 0.1% (FML Liquifilm), prednisolone 1% (Omnipred, Pred Forte), Alex, Flarex, FML Forte, FML S.O.P, Lotemax Suspension, Lotemax Gel, Maxidex, and Pred Mild.</p> <p>STANDARD</p> <ul style="list-style-type: none"> Inadequate response, intolerable side effect, or contraindication to either fluorometholone 0.1% or prednisolone 1% eye drops.
Inveltys (preservative-free)	<p>PLUS</p> <ul style="list-style-type: none"> Medical rationale why patient is unable to use the preferred formulary alternative Lotemax (loteprednol) eye drops, eye gel, or eye ointment. <p>STANDARD</p> <ul style="list-style-type: none"> Inadequate response, intolerable side effect, or contraindication to either fluorometholone 0.1% or prednisolone 1% eye drops.
Eysuvis	<p>PLUS</p> <ul style="list-style-type: none"> Inadequate response or intolerable side effect, to ONE preferred ophthalmic corticosteroid agent (i.e. fluorometholone 0.1% (FML Liquifilm), prednisolone 1% (Omnipred, Pred Forte), Alex, Flarex, FML Forte, FML S.O.P, Lotemax Suspension, Lotemax Gel, Maxidex, and Pred Mild) or contraindication to all preferred ophthalmic corticosteroid agents <p>STANDARD</p> <ul style="list-style-type: none"> Inadequate response or intolerable side effect to ONE preferred ophthalmic corticosteroid agent (i.e. fluorometholone 0.1% or prednisolone 1% eye drops) or contraindication to all preferred ophthalmic corticosteroid agents
Alex Flarex FML Forte FML S.O.P. Maxidex Pred Mild	<p>PLUS</p> <ul style="list-style-type: none"> No PA required <p>STANDARD</p> <ul style="list-style-type: none"> Inadequate response, intolerable side effect, or contraindication to either fluorometholone 0.1% or prednisolone 1% eye drops.
Lotemax Suspension 0.5% Gel 0.5%	<p>PLUS</p> <ul style="list-style-type: none"> No PA required <p>STANDARD</p> <ul style="list-style-type: none"> Inadequate response, intolerable side effect, or contraindication to either fluorometholone 0.1% or prednisolone 1% eye drops.
Durezol	PLUS- open plan

<p>Lotemax Gel 0.38% Lotemax Ointment Vexol</p>	<ul style="list-style-type: none"> • No PA required <p>PLUS- closed plan</p> <ul style="list-style-type: none"> • Inadequate response, intolerable side effect, or contraindication to ONE preferred ophthalmic agent including: fluorometholone 0.1% (FML Liquifilm), prednisolone 1% (Omnipred, Pred Forte), Alrex, Flarex, FML Forte, FML S.O.P, Lotemax Suspension, Lotemax Gel, Maxidex, and Pred Mild. <p>STANDARD</p> <ul style="list-style-type: none"> • Inadequate response, intolerable side effect, or contraindication to either fluorometholone 0.1% or prednisolone 1% eye drops.
<p>Inveltys (loteprednol ophthalmic suspension preservative-free)</p>	<p>PLUS</p> <ul style="list-style-type: none"> • Medical rationale why patient is unable to use the preferred formulary alternative Lotemax (loteprednol) eye drops, eye gel, or eye ointment. <p>STANDARD</p> <ul style="list-style-type: none"> • Inadequate response, intolerable side effect, or contraindication to either fluorometholone 0.1% or prednisolone 1% eye drops.

Coverage Duration: Short term

Effective: 3/03/2021GF